#### **BROWNS VALLEY CEMETERY DISTRICT**

## 9403 Browns Valley School Road

### Post Office Box 211, Browns Valley, CA 95918-0211 AGENDA

Thursday, September 20, 2023 10:00 a.m. Meeting held at: 5573 Marysville Road, Browns Valley, CA

- 1. Call to Order
- 2. Consent Agenda
  - a. Approval of minutes of August 17, 2023.

# 3. Secretary/Treasurer's Report

- a. Current Budget update from Ruth Mikkelsen. (Handout of Register and account balances). The last budget reports received from the county are for April and May 2023.
- b. Approval of bills to be paid in September 2023 and report on bills that were paid in August 2023. No extra bills this month. Routine bills: Botanica, and Ben Toilets (PG&E still negative balance of -\$7.08.)
- c. Deposits for August 2023:

# 4. New Business: Action items/Approval requested and information items.

- a. Audit. We must include the county report for August.
- b. Cost of Botanica: \$1,000 for six months.
- c. Ruhkala Headstones: not ready.
- d. Ground Penetrating Radar. We still have time we can use.
- e. Well discussion. Information and another general bid. (BVFD 126' on 10/94)
- f. Fix sprinkler system. Will check after the meeting today.
- g. Reservation of plots: Three people have asked for reservations. No further word.
- h. Tree clean up information. Is the saw still there that they left?

### 5. Discussion Items

- a. Return temporary marker to Susie: Hendricks
- b. New temporary markers required: none
- c. Information on current plot sales and burials: Two pending still.
- d. New page(s): none)
- e. Funerals scheduled: None

### 6. Project Reports and Concerns:

Ruth: October Meeting scheduled for October 18, 2023.

Susie: Organization's information bulletins. Conference info?

Roland: Grounds keeping report.

- 7. Public Input: Members of the public may address the Board at this time.
- 8. Adjournment of Regular Meeting
- **9. Safety Meeting:** Roland will provide feedback for last month and make report for this current month.
- 10. Adjournment of Safety Meeting